
Rox CLASS




		B	
Class and Type: Rox-class Science/Research Vessel		Jefferies tubes, Turbolifts [2 Power/round]	
Commissioning: 2375		Fire Suppression System: [1 Power/round]	6
HULL SYSTEMS		Cargo Holds: 100,000 cubic meters	3
Size: 6		Location: Engineering Port and Aft, with 5	
Length: 397.87 meters		Smaller bays throughout ship.	
Beam: 105.65 meters		Escape Pods	9
Height: 115.85 meters		Number: 180	
Decks: 18		Capacity: 4	
Mass: 1,734,733 metric tonnes		PROPULSION SYSTEMS	
SU's Available: 2,100		Warp Drive	
SU's Used: 1,960		Nacelles: Type 6D7	112
HULL		Speed: 6.0/9.6/9.975 [1 Power/.2 Warp speed]	
Outer	24	PIS: Type E (8 hours maximum warp)	10
Inner	24	Special Configuration: Variable-geometry Nacelles	
Resistance:		[5 Power and one round to alter nacelle position]	
Outer Hull: 8	9	[-2 Power for Sustainable/Maximum Warp]	
Inner Hull: 8	9	Impulse Engines	
Ablative Armor: N/A	•	Type: Class 7 (.75c/.92c) [7/9 Power/round]	35
Structural Integrity Field		Location: Aft Saucer	00
Main: Class 6 (Protection 90/130)	33	Reaction Control System: (.025c)	6
[1 Power/ 10 Protection/round]	00	[2 Power/round when in use]	•
Backup: Class 6 (Protection 50)	17	POWER SYSTEMS	
[1 Power/ 10 Protection/round]	.,	Warp Engines	100
Backup: Class 6 (Protection 50)	17	Type: Class 9/0 (generates 450 Power/round)	100
[1 Power/ 10 Protection/round]	.,	Location: Engineering Hull	
Specialized Hull Systems		Impulse Engine(s):	
None		1 Class 7 (Generates 56 Power/engine/round)	
PERSONAL SYSTEMS		Auxiliary Power: 4 reactors	12
Crew/Passengers/Evacuation: 220/100/4,000		(Generate 20 points of Power)	12
Crew Quarters		Emergency Power: Type E	45
Spartan: None		(Generates 45/Power/round)	45
Basic: 170	17	EPS: Standard Power flow, +300 Power transfer	60
Expanded: 50	10	Standard Usable Power: 631 Power	00
Luxury: 10	10	OPERATIONS SYSTEMS	
Unusual: 4	4	Bridge: Dorsal Amidships	30
Environmental Systems	4	Auxiliary Control Room: Engineering	18
Basic Life Support: [11 Power/round]	24	Computers: Bio-Neural System +3 to Test	10
Reserve Life Support: [6 Power/round]	12	Core 1: Saucer [7 Power/round]	22
Emergency Life Support: [40 Emergency shelters]		Uprating: Class Alpha [2 Power/Round]	22
Gravity [3 Power/round]	6	Core 2: Engineering [5 Power/Round]	22
Consumables: 5 Years worth	30	Uprating: Class Alpha [1 Power/Round]	22
Replicator Systems:	30	Optical Date Network	18
Food Replicators [6 Power/round]	6	Navigational Deflector: [5 Power/round]	24
Industrial Replicators:	12	Range: 10/20,000/50,000/150,000	24
Network of Small Replicators [2 Power/round]	12	Accuracy: 5/6/8/11	
2 Industrial Replicators [2 Power/Round]		Location: Forward Engineering	
Medical Facilities: 8 (+2) [8 Power/round]	40	Auxiliary Deflector: Forward Dorsal Saucer	6
EMK: 3	70	[-1 Test Result]	U
	15	[-1 Lest Lesail]	
EMH: Mk II [4 Power/round] Recreational Facilities: 6 [12 Power/round]	48		
Personal Transport:	48 18		
r ersonar Hansport.	10		



Sensor Systems		Test Bonus +2	
Long-range Sensors: [5 Power/round]	48	Security Uprating: Class Epsilon (-3)	
Range Package: Type 7 (Accuracy 3/4/7/10)		Emergency Communications: [2 power/round]	1
High Resolution: 5 light-years		Holocommunications: Yes	1
(.5/.6-1.0/1.1-3.8/3.9-5.0)		Tractor Beams	
Low Resolution: 15 light-years		Emitter: Class Delta	12
(1/1.1-6.0/6.1-13.0/13.1-17)		[3 Power/Strength used/round]	
Strength Package: Class 8 (Strength 8)		Accuracy: 4/5/7/10	
Gain Package: Class Beta		Location: Forward Saucer, below deflector dish.	
Test Result Bonus (+2)		Emitter: Class Delta	12
Coverage: Standard		[3 Power/Strength used/round]	
Lateral Sensors: [5 Power/round]	28	Accuracy: 4/5/7/10	
Strength Package: Class 8 (Strength 8)		Location: Aft Engineering	
Gain Package: Class Beta		Emitter: Class Alpha	6
Test Result Bonus +2		[3 Power/Strength used/round]	
Coverage: Standard		Accuracy: 5/6/8/11	
Navigational Sensors: [5 Power/round]	20	Location: One in each Shuttlebay	
Strength Package: Class 8 (Strength 8)		Transporters	
Gain Package: Class Beta		Type: Personnel [4 Power/use]	34
Test Result Bonus +2		Pads: 6	
Probes: 120	12	Emitter/Receiver Array: Personnel Type 6	
Sensor Skill: 5		Range: 40,000 km	
Flight Control Systems		Energizing/Transition Coils: Class H (Strength 8	3)
Autopilot: Shipboard Systems (Flight Control) 4,	16	Location: 2 in Saucer	•
Coordination 4 [1 Power/round in use]		Type: Emergency [6 Power/use]	51
Navigation Computer	4	Pads: 20	
Main: Class 3 [1 Power/Round]		Emitter/Receiver Array: Emergency Type 3	
Test Result Bonus +2 [2 Power/round]		Range: 15,000 km range	
Primary Backup: Class 3 [2 Power/Round]	4	Energizing/Transition Coils: Class H (Strength 8	3)
Test Result Bonus +2 [2 Power/round		Location: 2 in Saucer, 1 in Engineering Section	
Secondary Backups: 2	4	Type: Cargo [4 Power/use]	39
Inertial Damping Field	36	Pads: 400 kg	
Main		Emitter/Receiver Array: Cargo Type 3	
Strength: 9 [3 Power/round]		Range: 40,000 km range	
Number: 3		Energizing/Transition Coils: Class F (Strength 6	3)
Backup	12	Location: One in each Cargo Bay, one in Sauce	er (3)
Strength: 6 [2 Power/round]		Cloaking Device: None	
Number 4		Security Systems:	
Attitude Control: [2 Power/round]	2	Rating: 4	16
Communications Systems	30	Anti-Intruder System: Yes [1 Power/round]	6
Type: Class 9 [2 Power/round]		Internal Force Fields: [1 Power/3 strength]	6
Strength: 8		Science Systems	
Security: -7		Rating: 1 (+0) [1 Power/round]	11
Basic Uprating: Class Beta		Number of Laboratories: 2	2

STARBASE 223 INTEGRATED PRODUCTION FACILITY

TACTICAL SYSTEMS		Damage: 180 [18 Power]	
Saucer Forward Starboard Ventral Phaser Arra	y 22	Number of Emitters: 80 (up to 2 shots per rou	nd)
Type: IX		Auto-Phaser Interlock: Class Gamma	
Damage: 180 [18 Power]		Accuracy 3/4/6/9	
Number of Emitters: 80 (up to 2 shots per rou	ınd)	Range: 10/30,000/100,000/300,000	
Auto-Phaser Interlock: Class Gamma		Location: Engineering Ventral	
Accuracy 3/4/6/9		Firing Arc:405 degrees Aft Port	
Range: 10/30,000/100,000/300,000		Firing Modes: Standard, Continuous, Pulse, V	/vide
Location: Saucer Ventral Starboard	l l	Beam Familia a Mantari	00
Firing Arc :405 degrees Ventral Forward Star		Engineering Ventral	22
Firing Modes: Standard, Continuous, Pulse,	vvide	Type: IX	
Beam Saucer Forward Port Ventral Phaser Array	22	Damage: 180 [18 Power]	nd)
Type: IX	22	Number of Emitters: 80 (up to 2 shots per rou Auto-Phaser Interlock: Class Gamma	iiu)
Damage: 180 [18 Power]		Accuracy 3/4/6/9	
Number of Emitters: 80 (up to 2 shots per rou	ınd)	Range: 10/30,000/100,000/300,000	
Auto-Phaser Interlock: Class Gamma	iiid)	Location: Engineering Ventral	
Accuracy 3/4/6/9		Firing Arc: Ventral	
Range: 10/30,000/100,000/300,000		Firing Modes: Standard, Continuous, Pulse, V	Nide
Location: Saucer Ventral		Beam	viac
Firing Arc: 405 degrees Ventral Forward Port		Engineering Aft Port Dorsal Phaser Array	22
Firing Modes: Standard, Continuous, Pulse,		Type: IX	
Beam		Damage: 180 [18 Power]	
Saucer Forward Starboard Dorsal Phaser Array	/ 22	Number of Emitters: 80 (up to 2 shots per rou	nd)
Type: IX	•	Auto-Phaser Interlock: Class Gamma	-,
Damage: 180 [18 Power]		Accuracy 3/4/6/9	
Number of Emitters: 80 (up to 2 shots per rou	ınd)	Range: 10/30,000/100,000/300,000	
Auto-Phaser Interlock: Class Gamma	,	Location: Saucer Dorsal	
Accuracy 3/4/6/9		Firing Arc:405 degrees Aft Port DorsalFiring N	/lodes:
Range: 10/30,000/100,000/300,000		Standard, Continuous, Pulse, Wide Beam	
Location: Saucer Ventral Starboard		Forward Torpedo Launcher (High-Yield)	26
Firing Arc: 405 degrees Dorsal Forward Start	ooard	Standard Load: Type II photon torpedo (200 dan	nage)
Firing Modes: Standard, Continuous, Pulse,	Wide	Spread: 8	
Beam		Range: 15/350,000/1,500,000/4,050,000	
Saucer Forward Port Dorsal Phaser Array	22	Targeting Systems: Accuracy 3/4/6/9	
Type: IX		Power: [20+ 5 per Torpedo in Spread fired]	
Damage: 180 [18 Power]		Location: Port Saucer – adjacent to Nav Defle	ector
Number of Emitters: 80 (up to 2 shots per rou	ind)	Firing Arc: Forward, but are self-guided	•
Auto-Phaser Interlock: Class Gamma		Torpedoes Carried: 30	3
Accuracy 3/4/6/9		TA/T/TS: Class Beta [1 Power/round]	9
Range: 10/30,000/100,000/300,000		Strength: 8	
Location: Saucer Ventral		Bonus: +1 Weapon Skill: 5	
Firing Arc:405 degrees Dorsall Forward Port	Mido	Shields (Forward, Aft, Port, Starboard)	64x4
Firing Modes: Standard, Continuous, Pulse, Beam	vvide	Shield Generator: Class 4	0484
Engineering Aft Starboard Ventral Phaser Arra	v 22	Protection 800 [80 Power/round]	
Type: IX	y 22	Shield Grid: Type C	
Damage: 180 [18 Power]		(50% increase to 1200 Protection	
Number of Emitters: 80 (up to 2 shots per rou	ınd)	Subspace Field Distortion Amplifiers: Class Epsi	ilon
Auto-Phaser Interlock: Class Gamma	iiia)	Threshold: 250	1011
Accuracy 3/4/6/9		Shield Recharge System: Class 2 (40 second re	charge
Range: 10/30,000/100,000/300,000		Backup Shield Generators: 4 (1 per shield)	onal go
Location: Aft Engineering Ventral		Protection 440 per shield	
Firing Arc:405 degrees Aft Starboard Ventral		AUXILIARY SPACECRAFT SYSTEMS	
Firing Modes: Standard, Continuous, Pulse,	Wide	Auto-Destruct System: Yes	6
Beam		Shuttlebay(s): Capacity for 20 Size Units	40
Engineering Aft Port Phaser Array Type: IX	22	Captain's Yacht: Yes	10



DESCRIPTION AND NOTES:

Fleet Data: The Rox Development Project had begun before the Dominion War, and the first hull laid down before open conflict with the Dominion occurred. During the war, the uncompleted spaceframe was towed to a secured holding facility in the Trill system as starship production facilities were prioritized for the war effort, and production of the Trill Defense Network.

After the War, the Rox was reinitiated, as a starship construction program designed to spearhead Starfleet Exploration efforts. Grand claims were made about the class recapturing the glory of "the old days", and utilizing wartime production techniques to fast track the new starship.

The Rox-class incorporates many of the design elements learned from the Perimeter Defense Directive. The Rox-class reminds many of a nautical vessel, and this resemblance is not by accident. The Project Director, was inspired by the vessels he seen on the XXXX ocean on Trill, and blended the nautical influences with advanced spaceframe design to create the Rox.

Like the *Intrepid*-class, the *Rox*-class utilizes variable geometry warp-nacelles that could be adjusted while at warp for maximum efficiency. The pylons can be lowered until they appear flush to the ventral saucer, giving the *Rox* a streamlined, dart-like appearance. Currently, the *Rox* finds itself being assessed by Starfleet Command as a possible replacement for the retired *Constellation-class* vessels being phased out of the fleet.

Noteworthy Vessels/service records/encounters: Rox, Prototype, S.S. Sniegoski, in the service of the Daystrom Institute, Senus, assigned to a long term survey expedition along the Federation frontier, Abble, assigned to Trill Science Council.

ROX-CLASS SCIENCE VESSEL

Class and Type: Trill Science/Research Vessel

Commissioning Date: 2369

HULL CHARACTERISTICS

Size: 6 (397.87 meters long, 18 Decks)

Resistance: 2

Structural Points: 120

OPERATIONAL CHARACTERISTICS

Crew/Passengers: 220/100/4,000

[6 Power/Round]

Computers: 2 (Bio-Neural +2)

[4 power/round]

Transporters: 2 Personnel, 3 Cargo, 3 Emergency

[6 Power/Use]

Tractor Beams: 1 Aft, 1FV

[2 Power/Rating used]

PROPULSION AND POWER CHARACTERISTICS

Warp System: 6.0/9.6/9.975 (8 hours)

[2 Power/ Warp factor]

Impulse Systems: .75c/.92c

[1 power/.10 c]

Power: SENSOR SYSTEMS

Long-range Sensors: +2/15 light-years

[6 Power/ round]

Lateral Sensors: +2/1 light-year

[4 Power/Round]

Navigational Sensors: +2

[5 Power/Round]

Sensor Skill: 5

WEAPON SYSTEMS:

Type IX Phaser Array

Range: 10/30,000/100,000/300,000

Arc: Forward

Accuracy: 3/4/5/6

Damage: 18

Power: [18]

Weapon Skill: 4

Defensive Systems

Trill Deflector Shield

Protection: 80/80 (1200)

Power: 80

		STARBASE 223 FLEET	YARD
Wahsittom Perimeter Defense Drone		Auxiliary Power:	·ARB
Class and Type: Trill Defense Drone		None Emergency Power: Type A (Generates 25)	25
Commissioning: 2369		Power/round/use) EPS: +100 Power Transfer	30
HULL SYSTEMS		Standard Usable Power: 264	00
Size: 2		OPERATIONS SYSTEMS	
Length: 30 meters Beam: 12.2 meters		Bridge: None	
Height: 11.4 meters		Auxiliary Control Room: Simple cockpit	6
Decks: 1		Computers:	_
Mass: metric tonnes:		Core 1: Forward midships [5 Power/round]	4
SU's Available: 625		Uprating: None Core 2: Aft midships [5 Power/round]	4
SU's Used:		Optical Date Network	6
HULL	•	Navigational Deflector: [5 Power/round]	8
Outer Inner	8 8	Range: 10/20,000/50,000/150,000	
Resistance:	0	Accuracy: 5/6/8/11	
Outer Hull: 8	9	Location: Forward	
Inner Hull: 8	9	Sensor Systems	10
Ablative Armor: N/A		Long-range Sensors: [5 Power/Round] Range Package: Type 1 (Accuracy 3/4/7/10)	10
Structural Integrity Field		High Resolution: 4 light-years	
Main: Class 1 (Protection 40/60)	14	(.5/.6-1.0/1.1-3.0/3.1-4.0)	
[1 Power/ 10 Protection/round]	4.4	Low Resolution: 10 light-years	
Primary Backup: Class 1 (Protection 40/60) [1 Power/ 10 Protection/round]	14	(1/1.1-3.0/3.1-8.0/8.1-12)	
Specialized Hull Systems		Strength Package: Class 3 (Strength 3)	
Atmospheric Capability	2	Gain Package: Class Alpha	
Planetfall Capability	2	Test Result Bonus +1	
PERSONAL SYSTEMS		Coverage: Standard Lateral Sensors : [5 Power/round]	9
Crew/Passengers/Evacuation: 1/0/0		Strength Package: Class 3 (Strength 3)	·
Crew Quarters		Gain Package: Class Alpha	
Spartan: 0 Basic: 0		Test Result Bonus: +1	
Expanded: 0		Coverage: Standard	
Luxury: 0		Navigational Sensors: [5 Power/round]	4
Unusual: 0		Strength Package: Class 1 (Strength 1)	
Environmental Systems		Gain Package: Standard Test Result Bonus: None	
Basic Life Support: [1Power/round]	8	Probes: None	
Reserve Life Support: [1 Power/round]	4	Sensor Skill: 2	
Emergency Life Support: 0 Gravity [1Power/round]	2	Flight Control Systems	
Consumables: None	2	Autopilot: Yes [1 Power/Round]	12
Replicator Systems: None		Shipboard Systems (Flight Control) 3, Coording	
Medical Facilities: None		Navigation Computer	4
Recreational Facilities: None		Main: Class 3 [1 Power/Round] Test Result Bonus +2	
Personal Transport: [0 Power/round]	2	Primary Backup: 2	2
Jefferies tubes	•	Inertial Damping Field	6
Fire Suppression System: [1 Power/round] Cargo Holds:	2	Main	
Escape Pods: 1	1	Strength: 9 [3 Power/round]	
Capacity: 1	-	Number: 2	•
PROPULSION SYSTEMS		Backup Strength: [2 Power/round]	3
Warp Drive		Number 2	
Nacelles: Type 4C6	48	Attitude Control: [1 Power/round]	1
Speed: 4.0/8.0/9.2 [1 Power/.2 Warp speed]		Specialize Flight Control System	-
PIS: Type B (5 hours maximum warp) Impulse Engines	4	Manual Steering Column	1
Type: Class 8 (.75c/.95c) [7/9 Power/round]	64	Communications Systems	28
Location: Centerline aft	•	Type: Class 8 [2 Power/round]	
Reaction Control System: (.025c)	2	Strength: 8 Security: -6	
[2 Power/round when in use]		Basic Uprating: Class Beta	
POWER SYSTEMS		Test Bonus +2	
Warp Engines Type: Class 4/G (generates 200 Power/round)	50	Security Uprating: Class Epsilon	6
Location:	50	Emergency Communications: [2 power/round]	1
Impulse Engine(s):		Holocommunications: No	
1 Class 8 (Generates 64 Power/engine/round)		Tractor Beams	
		None TRILL PERIMETER DEFENSE [JDONE

Transporters	13
Type: Emergency	
Pads: 1 [3 Power/use] (1 Power/Person)	
Emitter/Receiver Array: Emergency Type 3	
15,000 km range [1 Power/use]	
Energizing/Transition Coils: Class I (Strength 9)	
Location: Cockpit – Emergency Egress System	
Cloaking Device: None	
Security Systems:	
Rating: None	
Anti-Intruder System: Yes [1 Power/round]	2
Internal Force Fields: None	
Science Systems	
Rating: None	
TACTICAL SYSTEMS	
Forward Phaser Array	39
Type: X	
Damage: 200 [20 Power]	
Number of Emitters: 120 (up to 4 shots per rour	nd)
Auto-Phaser Interlock: Class Beta	
Accuracy 4/5/7/10	
Range: 10/30,000/100,000/300,000	
Location: Forward Hull	
Firing Arc: 360 Forward	
Firing Modes: Standard, Continuous, Pulse, Wi	de
Beam	
Torpedoes Carried: None	
TA/T/TS: Class Beta [1 Power/Round]	9
Strength: 8	
Bonus: +1	
Weapon Skill: 4	
	6(x4)
Shield Generator: Class 2	
Protection 300 [30 Power/Shield/round]	
Shield Grid: Type C (50% Increase to 450 Prote	
Subspace Field Distortion Amplifiers: Class Gar	nma
Threshold: 150	
Shield Recharge System: Class 2 (40 second rech	
Backup Shield Generators: 4 (1 per shield)	4
Auto-Destruct System: Yes	2
AUXILIARY SPACECRAFT SYSTEM	
Shuttlebay(s): None	
Captain's Yacht: None	
DESCRIPTION AND NOTES:	

Fleet Data: The Wahsittom Perimeter Defense Drones are mobile weapons platforms scattered through the Trill system. Unmanned, and designed to provide a rapid response system to threats approaching Trill.

The Wahsittom is named after a predatory pack animal that ranges along the XXXX icelands of Trill. Renowned for their hunting and tracking ability, the Wahsittom often use harassment, and overwhelming numbers to subdue larger prey. The Wahsittom are spread across the Trill system in squadrons waiting to be activated. When a threat appears, a command signal is sent out that activates the drones and sends them swarming towards the target. When properly deployed the Wahsittom form and inner and outer system defense layer, with four reserve squadrons of 16 vessels each in orbit around Trill itself.

Like the Starfleet Defense Drones, the Trill Defense Drones are highly automated and mobile units. The intention was for the Drones to intercept and engage a fleet as it approaches Trill, rather than stationary units that could be circumnavigated, or whose defenses could be overwhelmed creating a breach in the Trill system defense. The entire Defense Network is monitored from a secured site on Trill, with secondary control stations scattered through out the system.

Noteworthy Vessels/service records/encounters:Dedicated Perimeter defense platforms for the Trill system, with the majority of the defense assets

TRILL PERIMETER DEFENSE DRONE

Class and Type: Automated Defense Drone

Commissioning Date: 2369
HULL CHARACTERISTICS
Size: 2 (30 meters long)
Resistance: 2
Structural Points: 40

OPERATIONAL CHARACTERISTICS
Crew/Passengers: Typically Automated, 1

[1 Power/Round]

Computers: 2
[4 power/round]

Transporters: 1 Emergency
[2 Power/Use]

Tractor Beams: None

PROPULSION AND POWER CHARACTERISTICS

Warp System: 4.0/8.0/9.2 [2 Power/ Warp factor] Impulse Systems: .82c/.95c [1 power/.10 c] Power: 120

SENSOR SYSTEMS
Long-range Sensors: +1/15 light-years

[6 Power/ round]

Lateral Sensors: +1/1 light-year

[4 Power/Round]
Navigational Sensors: +0
[5 Power/Round]
Sensor Skill: 4

WEAPON SYSTEMS:
Type X Phaser Array

Range: 10/30,000/100,000/300,000

Arc: Forward
Accuracy: 4/5/7/10
Damage: 20
Power: [20]
Weapon Skill: 4
Defensive Systems

Trill Deflector Shield Protection: 30/30 (45)

Power: 30




Image by Dan Gurden



Class and Type: Zauvlen Diplomatic Transport		Cargo Holds: 12,000 cubic Meters	1
Commissioning: 2369		Locations: Aft, and three smaller bays	
HULL SYSTEMS		Escape Pods 20	2
Size: 4		Capacity: 8	_
Length: 121 meters		PROPULSION SYSTEMS	
Beam: 72.2 meters		Warp Drive	
Height: 35.3 meters		Nacelles: Type 5D6	73
Decks: 3		Speed: 5.0/8.3/9.5 [1 Power/.2 Warp speed]	. •
Mass: metric tonnes:		PIS: Type I (15 hours maximum warp)	18
SU's Available: 1,300		Special Configuration:	
SU's Used:		Embedded Warp nacelles	12
HULL		(+100 Protection/+10 Threshold)	-
Outer	16	Warp Drive Uprating	
Inner	16	Standard Acceleration +0.1	2
Resistance:		Impulse Engines	-
Outer Hull: 6	6	Type: Class 5 (.7c/.9c) [7/9 Power/round]	25
Inner Hull: 6	6	Location: Aft port and starboard Saucer Section	20
Ablative Armor: N/A	U	Reaction Control System: (.025c)	4
Structural Integrity Field		[2 Power/round when in use]	_
Main: Class 3 (Protection 60/90)	22	POWER SYSTEMS	
[1 Power/ 10 Protection/round]	22	Warp Engines	
Primary Backup: Class 3 (Protection 60/90)	22	Type: Class 5/H (generates 250 Power/round)	60
[1 Power/ 10 Protection/round]	22	Location:	00
Secondary Backup: Class 3 (Protection 30)	10	Impulse Engine(s):	
[1 Power/ 10 Protection/round]	10	1 Class 5 (Generates 40 Power/engine/round)	
Specialized Hull Systems		Auxiliary Power:	
Planetfall Capability	4	2 reactors (Generate 10 points of Power/round)	6
PERSONAL SYSTEMS	4	Emergency Power: Type A (Generates 25)	25
Crew/Passengers/Evacuation: 35/10/105		Power/round/use)	25
Crew Quarters		EPS: +100 Power Transfer	30
Spartan: None		Standard Usable Power: 334	30
Basic: 20	2	OPERATIONS SYSTEMS	
	2 5		20
Expanded: 25		Bridge: Forward Flight Deck	20
Luxury: 10	10	Auxiliary Control Room: None	
Unusual: 5	5	Computers:	40
Environmental Systems	40	Core 1: Forward midships [5 Power/round]	10
Basic Life Support: [6 Power/round]	16	Uprating: Class Alpha +1 [1 Power/round/use]	40
Reserve Life Support: [1 Power/round]	8	Core 2: Forward midships [5 Power/round]	10
Emergency Life Support: 32 Emergency Shelters		Uprating: Class Alpha +1 [1 Power/round/use]	40
Gravity [2 Power/round]	4	Optical Date Network	12
Consumables: 6 Months Worth	1	Navigational Deflector: [5 Power/round]	16
Replicator Systems:	4	Range: 10/20,000/50,000/150,000	
Food Replicators [2 Power/round]		Accuracy: 5/6/8/11	
Industrial Replicators: None	00	Location: Forward	
Medical Facilities: 4 (+1 Test) [20 Power/round]	20		
Recreational Facilities: 4 [8 Power/round]	32		
Personal Transport: [0 Power/round]	12		
Jefferies tubes and Turbolifts	ā		
Fire Suppression System: [1 Power/round]	4		

		STARBASE 223 FLEET	YARD
Sensor Systems		Location: Deck 2 – Forward and Aft	
Long-range Sensors: [5 Power/Round]	21	Cloaking Device: None	
Range Package: Type 2 (Accuracy 3/4/7/10)		Security Systems:	
High Resolution: 5 light-years		Rating: 3	12
(.5/.6-1.0/1.1-3.5/3.6-5.0)		Anti-Intruder System: Yes [1 Power/round]	4
Low Resolution: 12 light-years		Internal Force Fields: Yes [1 Power/3 Strength]	4
(1/1.1-3.0/3.1-8.0/8.1-12)		Science Systems	
Strength Package: Class 5 (Strength 5)		Rating: 1 [3 Power/Round]	9
Gain Package: Class Alpha		Specialized Science Systems: None	
Test Result Bonus +1		Labs: 1	1
Coverage: Standard		TACTICAL SYSTEMS	
Lateral Sensors: [5 Power/round]	13	Forward Starboard Dorsal Phaser Array	20
Strength Package: Class 5 (Strength 5)		Type: VII	
Gain Package: Class Alpha		Damage: 140 [14 Power]	1\
Test Result Bonus: +1		Number of Emitters: 80 (up to 2 shots per rou	ina)
Coverage: Standard	10	Auto-Phaser Interlock: Class Gamma	
Navigational Sensors: [5 Power/round]	10	Accuracy 4/5/7/10	
Strength Package: Class 5 (Strength 5)		Range: 10/30,000/100,000/300,000	
Gain Package: Standard		Location: Firing Arc: Forward Starboard	
Test Result Bonus: None Probes: None		Firing Modes: Standard, Continuous, Pulse, \	Nido.
Sensor Skill: 5		Beam	viue
Flight Control Systems		Forward Port Dorsal Phaser Array	20
Autopilot: Yes [1 Power/Round]	12	Type: VII	20
Shipboard Systems (Flight Control) 3, Coordin		Damage: 140 [14 Power]	
Navigation Computer	4	Number of Emitters: 80 (up to 2 shots per rou	ınd)
Main: Class 3 [1 Power/Round]	7	Auto-Phaser Interlock: Class Gamma	iiiu)
Test Result Bonus +2		Accuracy 4/5/7/10	
Primary Backup: 2	2	Range: 10/30,000/100,000/300,000	
Inertial Damping Field	24	Location:	
Main		Firing Arc: Forward Port	
Strength: 9 [3 Power/round]		Firing Modes: Standard, Continuous, Pulse,	Wide
Number: 3		Beam	******
Backup	12	Aft Starboard Ventral Phaser Array	20
Strength: 6 [2 Power/round]		Type: VII	
Number 3		Damage: 140 [14 Power]	
Attitude Control: [1 Power/round]	1	Number of Emitters: 80 (up to 2 shots per rou	ınd)
Communications Systems	28	Auto-Phaser Interlock: Class Gamma	,
Type: Class 8 [2 Power/round]		Accuracy 4/5/7/10	
Strength: 8		Range: 10/30,000/100,000/300,000	
Security: -6		Location:	
Basic Uprating: Class Beta		Firing Arc: Aft Starboard	
Test Bonus +2		Firing Modes: Standard, Continuous, Pulse,	Wide
Security Uprating: Class Epsilon	6	Beam	
Emergency Communications: [2 power/round]	1	Aft Port Ventral Phaser Array	20
Holocommunications: Yes	1	Type: VII	
Tractor Beams		Damage: 140 [14 Power]	
Emitter: Class Beta	6	Number of Emitters: 80 (up to 2 shots per rou	ınd)
[3 Power/Strength used/round]		Auto-Phaser Interlock: Class Gamma	
Accuracy: 4/5/7/10		Accuracy 4/5/7/10	
Location: Ventral Forward	_	Range: 10/30,000/100,000/300,000	
Emitter: Class Beta	6	Location:	
[3 Power/Strength used/round]		Firing Arc: Aft port	
Accuracy: 4/5/7/10		Firing Modes: Standard, Continuous, Pulse, V	vide
Location: Ventral Aft		Beam	
Transporters	00	Torpedoes Carried: None	•
Type: Personnel	36	TAT/TS: Class Beta [1 Power/Round]	9
Pads: 6 [4 Power/use] (0.5 Power/Person)		Strength: 8	
Emitter/Receiver Array: Personnel Type 6 40,000 km range [2 Power/use]		Bonus: +1	
Energizing/Transition Coils: Class I (Strength 9	1	Weapon Skill: 4 Shields (Forward, Aft, Port, Starboard)	29(x4)
Location: Adjacent Main Conference Room, an		Shield Generator: Class 3	23(X4)
on Deck 3.	Other	Protection 560 [46 Power/Shield/round]	
Type: Emergency	30	(+100 Protection from Embedded Warp Na	rellee)
Pads: 10 [3 Power/use] (0.5 Power/Person)	55	Shield Grid: Type B (33% Increase to 745 Pro	
Emitter/Receiver Array: Emergency Type 3		Subspace Field Distortion Amplifiers: Class G	Samma
15,000 km range [1 Power/use]		Threshold: 135	
Energizing/Transition Coils: Class I (Strength 9)	(+10 Embedded Warp Nacelles)	
5 5	,	ZAULEN-CLASS TRAN	ISPODT
		ZAULLIN-ULAGG TRAIS	

STARBASE 223 FLEET YARD

Shield Recharge System: Class 2 (40 second recharge) Backup Shield Generators: 4 (1 per shield) 4 Auto-Destruct System: Yes 4 AUXILIARY SPACECRAFT SYSTEM 4

Shuttlebay(s): Capacity for 2 Size worth of craft **Captain's Yacht:** None

DESCRIPTION AND NOTES:

Fleet Data: The Zauvlen class courier was developed in the late 2360's and finally fielded at the end of the decade. The Zauvlen was designed to meet the needs of the Trill Diplomatic Service, and other civilian applications.

The Zauvlen is a modular design that can be custom built to fit a variety of mission profiles, and can be modified as needed by a proficient stardock.

While the Zauvlen is intend as a diplomatic transport, it can also serve as an neurtral meeting site for negotiations between conflicting parties.

The Zauvlen is richly appointed, and has a variety of secured conferences rooms on decks 2 and 3, with a large, centralized conference table on deck 3. Diplomatic parties are also provided with secured subspace transmitters for communication with their respected governments.

Noteworthy Vessels/service records/encounters: Zauvlen, prototype, Tyan, Ambassador Odan's ship, forced down by Trill revolutionaries in the Galvan System in 2376, Sirast, assigned to trade negotiations in the Rablus System, 2377, Utlatas, assigned to Trill Diplomatic Service, 2377.

Source: Divided We Fall - Wildstorm Comics, 2001

ZAUVLEN-CLASS DIPLOMATIC COURIER

Class and Type: Diplomatic Courier Commissioning Date: 2369 HULL CHARACTERISTICS

Size: 4 (121 meters long, 3 decks)

Resistance: 2 Structural Points: 40

OPERATIONAL CHARACTERISTICS

Crew/Passengers: 35/10/150

[6 Power/Round]

Computers: 2 Computer Cores

[4 power/round]

Transporters: 1 Personnel and Emergency

[5 Power/Use]

Tractor Beams: 1 DA, 1 VF [2 Power/Rating Used]

PROPULSION AND POWER CHARACTERISTICS

Warp System: 5.0/8.3/9.5 (15 hours)

[2 Power/ Warp factor]
Impulse Systems: .7c/.9c
[1 power/.10 c]

Power: 107

SENSOR SYSTEMS Long-range Sensors: +0/12 light-years

[6 Power/ round]

Lateral Sensors: +0/1 light-year

[4 Power/Round]

Navigational Sensors: +0

[5 Power/Round]

Sensor Skill: 5
WEAPON SYSTEMS:

Type VII Phaser Array

Range: 10/30,000/100,000/300,000

Arc: All (720 Degrees)
Accuracy: 4/5/7/10

Damage: 14
Power: [14]
Weapon Skill: 4
Defensive Systems
Trill Deflector Shield
Protection: 56/65

Power: [56]